

### Standard Features

- **Drop-In Feed System:** A drop-in three-roller feed system produces dependable feeding of forms with no paper fanning required
- **Variable Speed Control:**  
Up to 11,000 pieces per hour
- **Pre-programmed for 3 popular folds:** accordion "Z" fold, letter "C" fold and single half fold in 11" & 14" (Int'l Size A4)
- **17" Form Capability:** Flexibility to process forms up to 17" (432mm) in length
- **Programmable Job Settings:**  
Set and store up to 9 custom jobs
- **Fault Detector:** Detects double feeding and any faults
- **6-Digit Resettable Counter:** For maximum audit control
- **Batch Counting:** Allows for preset counts of documents to be processed
- **Noise Reduction:** Top and side covers are insulated to reduce operating noise.
- **Fold Types:** Folds "Z", uneven "Z", "C", half folds and custom folds

### Options:

- **P2052:** Cost saving package that includes the FD 2052, 18" conveyor and cabinet
- **4' High Capacity Conveyor w/ Photo Eye:**  
Allows for neat and sequential stacking of up to 1,500 processed forms
- **18" Conveyor w/ Photo Eye:**  
Allows for neat and sequential stacking
- **Locking Cabinet:** Fully enclosed for storage



*Shown with optional Cabinet and 18" conveyor*

The FD 2052 is a fully automatic folder/sealer providing the ultimate solution for processing pressure sensitive self-mailers. Designed with ease of operation and efficiency in mind, the FD 2052 automatically detects and adjusts for 11" and 14" (Int'l Size A4) paper sizes and is pre-programmed for three popular folds "Z", "C" and half. The FD 2052 also has the ability to store up to 9 custom fold settings with the simple touch of a button. Up to 350 forms can be loaded in the hopper and processed at speeds up to 11,000 per hour. These features combined make the FD 2052 an ideal solution for streamlining your post processing. The FD 2052 also comes with an optional fully enclosed cabinet for storage and an 18" (46cm) or 4' (122cm) high capacity conveyor with a photo eye for neat and sequential stacking of processed forms.

Distributed By:

[WWW.SEAN-D-MCCOWN.COM](http://WWW.SEAN-D-MCCOWN.COM)

Solutions Consultant  
AMERICAN SOLUTIONS FOR BUSINESS

16 Kingston Road, Unit #8  
Exeter NH 03833

Toll Free: 888-968-3030

[info@sean-d-mccown.com](mailto:info@sean-d-mccown.com)

## Flexible

The FD 2052 handles a variety of documents up to 8.5”(216mm) x 17”(432mm) including checks, invoices, school reports, tax forms and appointment notices. Pressure seal mailers can be used for virtually any application that can be printed on one form.

## Powerful


The FD 2052 processes forms at a rate of up to 11,000 sheets per hour and can hold up to 350 - 24#(90 gsm) forms in the feed hopper. Combined with a duty cycle of up to 125,000 forms per month the FD 2052 offers the ultimate solution for streamlining your paper processing.



User Friendly Control Panel

## Pressure Seal Solution


The Formax FD 2052 used with a simplex printer and pressure seal forms create a secure, time saving and efficient solution for paper processing.



Standard "Z" Fold Process

## Ease of Operation

The FD 2052 sets a new standard in pressure seal ease-of-use. "Z", "C" and half folds for 11" and 14" (A4) forms are automatically set with the touch of a button. Up to nine custom folds can be stored into memory eliminating the need for manual set up of non-traditional pressure seal forms.



Standard Catch Tray

## Specifications:

Hopper Capacity:	350 Sheets 24# (90gsm)
Fixed Speed:	Up to 11,000 sheets per hour - based on 11"(279mm) "Z" fold
Paper Size:	Up to 8.5" W x 17" L (216 W x 432 L mm)
Power:	Model: 120 Volts AC 50/60 HZ FE Model: 220 Volts AC 50/60 HZ
Duty Cycle:	Up to 125,000 per month
Dimensions:	29.5" L x 16.75" W x 14" H (75 L x 43 W x 36 H cm)
W/ 18" Conveyor & Cabinet:	46" L x 20" W x 44" H (117 L x 51 W x 112 H cm)
Weight:	99.5 lbs (45 kg)
Certifications:	UL and CUL approved CE applied for

U.S. Patents 5,772,841 , 5,865,925 , 5,968,308 & 6,264,592 Other Patents Pending



The **FD 400 Jogger** is a recommended option that reduces static electricity from forms and aligns them for proper reeading.